

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Kenten, J. et al.  
Serial No. : 09/480,544  
Filed : January 10, 2000  
For : CYCLING DNA/RNA AMPLIFICATION  
ELECTROCHEMILUINESCENT PROBE ASSAY  
Group Art Unit : 1655  
Examiner : A. Chakrabarti

PATENT  
100390-09630

10/B  
B. Webb  
1/31/02

TECH CENTER 1600/2900

JAN 23 2002

RECEIVED

919 Third Avenue  
New York, New York 10022

I hereby certify that this correspondence  
is being deposited with the United States  
Postal Service as first class mail in an  
envelope addressed to:  
Assistant Commissioner for Patents,  
Washington, D.C. 20231, on December 14, 2001

Barry Evans, Reg. No. 22,802

Name of Applicant, Assignee or Registered  
Representative

Barry Evans / J. Webb  
Signature

December 14, 2001

Date of Signature

**BOX RCE**

Commissioner for Patents  
Washington, D.C. 20231

**AMENDMENT**

Sir:

In response to the Final Official Action mailed November 20, 2000, Applicants  
respectfully request entry of the enclosed Request for Continued Examination (RCE) under 37  
CFR § 1.114 and the following amendment. A notice of appeal was filed on May 18, 2001 and a

petition for a five (5) month extension of time from July 18, 2001 to December 18, 2001 is enclosed.

IN THE CLAIMS:

Please cancel claims 21-31, all of the claims in this application.

Enter the following new claims:

---

32. A process for the detection of a specific nucleic acid sequence, comprising:
- (a) forming a composition comprising
    - (i) the sample,
    - (ii) a first oligonucleotide primer which comprises a promoter sequence,
    - (iii) a second oligonucleotide primer,
    - (iv) a DNA-directed RNA polymerase,
    - (v) an RNA-directed DNA polymerase,
    - (vi) a DNA-directed DNA polymerase, and
    - (vii) a ribonuclease that hydrolyzes RNA of an RNA-DNA hybrid without hydrolyzing single or double-stranded RNA or DNA;
  - (b) incubating the reaction mixture for a sufficient time to amplify said specific nucleic acid sequence to form an amplified nucleic acid sequence mixture comprising an amplified nucleic acid sequence;
  - (c) forming a second mixture by adding to a sample of said amplified nucleic acid sequence mixture the following reagents
    - (i) at least one detection probe sequence which specifically hybridizes to said amplified nucleic acid sequence, said detection probe sequence being labeled with an electrochemiluminescent species,

- B<sup>1</sup>  
cont
- (ii) at least one capture probe sequence which specifically hybridizes to said amplified nucleic acid sequence, said capture probe sequence being labeled with a binding species, and
  - (iii) a solid phase coated with a binding partner of said binding species;
  - (d) incubating said second mixture for a time sufficient to allow hybridization of said probes to said amplified nucleic acid sequence and to allow binding of said binding species to said binding partner so as to form a solid phase-bound hybridization complex; and
  - (e) detecting said solid phase-bound complex by using said electrochemiluminescent species.

- 33. The process of claim 1, wherein the solid phase is a magnetic bead.
- 34. The process of claim 1, wherein the binding species/binding partner pair are selected from the group consisting of biotin/avidin, biotin/streptavidin, and digoxigenin/anti-digoxigenin.
- 35. The process of claim 1, wherein the binding species is biotin and the solid phase is a streptavidin-coated magnetic bead.
- 36. The process of claim 1, wherein said amplified nucleic acid sequence is the anti-sense copy of the specific nucleic acid sequence and wherein said amplification of said specific nucleic acid sequence is carried out under conditions which permit

- B1  
cont
- (i) said second oligonucleotide primer to hybridize to an RNA template which comprises the specific nucleic acid sequence or an anti-sense copy of the specific nucleic acid sequence,
  - (ii) said RNA-directed DNA polymerase to utilize said RNA template to synthesize a DNA template by extension of said second oligonucleotide primer and thereby form an RNA-DNA hybrid intermediate,
  - (iii) said ribonuclease to hydrolyze RNA contained in said RNA-DNA hybrid intermediate,
  - (iv) said first oligonucleotide primer to hybridize to said DNA template,
  - (v) said DNA-directed DNA polymerase to utilize said DNA template to synthesize a double-stranded DNA product by extension of said first oligonucleotide primer, said double stranded DNA product comprising said promoter, and
  - (vi) said DNA-directed RNA polymerase to recognize said promoter and transcribe said double stranded DNA product so as to form more RNA first template.

37. The process of claim 1, wherein said electrochemiluminescent species comprises ruthenium-*tris*-bipyridine.

38. A process for the detection of a specific nucleic acid sequence, comprising:

- (a) forming a composition comprising:
  - (i) the sample,
  - (ii) a first oligonucleotide primer which comprises a promoter sequence,
  - (iii) a second oligonucleotide primer,

- (iv) a DNA-directed RNA polymerase,
- (v) an RNA-directed DNA polymerase,
- (vi) a DNA-directed DNA polymerase,
- (vii) a ribonuclease that hydrolyzes RNA of an RNA-DNA hybrid without hydrolyzing single or double-stranded RNA or DNA, and
- (viii) one or more nucleotides;
- (b) incubating the reaction mixture for a sufficient time to amplify said specific nucleic acid sequence to form an amplified nucleic acid sequence mixture comprising an amplified nucleic acid sequence;
- (c) forming a second mixture by adding to a sample of said amplified nucleic acid sequence mixture the following reagents
- (i) at least one detection probe sequence which specifically hybridizes to said amplified nucleic acid sequence, said detection probe sequence being labeled with an electrochemiluminescent species,
- (ii) at least one capture probe sequence which specifically hybridizes to said amplified nucleic acid sequence, said capture probe sequence being labeled with a binding species, and
- (iii) a solid phase coated with a binding partner of said binding species;
- (d) incubating said second mixture for a time sufficient to allow hybridization between said probes and to allow binding of said binding species to said binding partner so as to form a solid phase-bound hybridization complex; and
- (e) detecting said solid phase-bound complex by using said electrochemiluminescent species;

B1  
cont

wherein, optionally, said first primer, second primer or at least one of said nucleotides is labeled with the electrochemiluminescent species and said detection probe is omitted, and, optionally, said first primer, second primer or at least a portion of said nucleotides is labeled with the binding species and said capture probe is omitted.

- B1 cont*
39. The process of claim 7, wherein the solid phase is a magnetic bead.
  40. The process of claim 7, wherein the binding species/binding partner pair are selected from the group consisting of biotin/avidin, biotin/streptavidin, and digoxigenin/anti-digoxigenin.
  41. The process of claim 7, wherein the binding species is biotin and the solid phase is a streptavidin-coated magnetic bead.
  42. The process of claim 7, wherein said amplified nucleic acid sequence is the anti-sense copy of the specific nucleic acid sequence and wherein said amplification of said specific nucleic acid sequence is carried out under conditions which permit
    - (i) said second oligonucleotide primer to hybridize to an RNA template which comprises the specific nucleic acid sequence or an anti-sense copy of the specific nucleic acid sequence,
    - (ii) said RNA-directed DNA polymerase to utilize said RNA template to synthesize a DNA template by extension of said second oligonucleotide primer and thereby form an RNA-DNA hybrid intermediate,
    - (iii) said ribonuclease to hydrolyze RNA contained in said RNA-DNA hybrid intermediate,
    - (iv) said first oligonucleotide primer to hybridize to said DNA template,

- B1  
conced
- (v) said DNA-directed DNA polymerase to utilize said DNA template to synthesize a double-stranded DNA product by extension of said first oligonucleotide primer, said double stranded DNA product comprising said promoter, and
  - (vi) said DNA-directed RNA polymerase to recognize said promoter and transcribe said double stranded DNA product so as to form more RNA first template.

43. The process of claim 7, wherein said electrochemiluminescent species comprises ruthenium-*tris*-bipyridine.

---

**REMARKS**

A Request for Continued Examination (RCE) is submitted to further prosecution.

All of the claims have been cancelled and replaced with new claims 32-43.

The rejections of the claims under 35 U.S.C. §101 for statutory double patenting and the judicially created doctrine of obviousness-type double patenting for the reasons set forth in paragraphs 2, 3, and 4 of the Official Action are respectfully traversed for the reason that all of the new claims do not claim the same invention as U.S. Patent No. 6,048,687 (the '687 patent) issued on April 11, 2000, nor render the present invention obvious in view of the '687 patent.

Favorable reconsideration of this application is respectfully requested.

Respectfully submitted,

KRAMER LEVIN NAFTALIS & FRANKEL LLP  
Attorneys for Applicants

By: Barry Evans / [Signature]  
Barry Evans  
Reg. No. 22,802  
(212) 715-7609